



Wm. E. Williams No. S201T6 316 Class 200 WOG Swing Check Valve ASTM A 351 CF8M (API TRIM 10)



BILL OF MATERIAL

NO.	PART NAME	MATERIAL
1	COVER	A351-CF8M
2	GASKET	TEFLON
3	WASHER	A276-316
4	BODY	A351-CF8M
5	DISC	A351-CF8M
6	DISC NUT	A276-316
7	HANGER ARM	A351-CF8M
8	HINGE PIN	A182-F316
9	PLUG GASKET	TEFLON
10	SIDE PLUG	A182-F316

FEATURES:

- THREADED COVER
- 45° Y PATTERN DESIGN
- INTEGRAL SEAT
- SOFT SEAT (OPTIONAL)

SIZE	d	L	H
1/2"	0.50	2.56	1.81
3/4"	0.75	3.17	2.05
1.00"	1.00	3.54	2.36
1 1/4"	1.25	4.13	2.83
1 1/2"	1.50	4.72	3.15
2.00"	2.00	5.51	3.74


WILLIAMS
 VALVE CORPORATION
38-52 REVIEW AVENUE
 LONG ISLAND CITY, NY 11101
TEL: 718-392-1660
 FAX: 718-729-5106

TITLE: STAINLESS STEEL WOG SWING CHECK VALVE
 THREADED ENDS - CLASS 200 - API TRIM 10

NO.	DATE	DESCRIPTION	PRP'D	REV'D	APP'D	MARKING SYSTEM	MSS-SP-25	INSPECTION & TEST: API 598	MATERIAL: A351-CF8M	UNITS: Inch, mm
						THREADED ENDS	ANSI B 2.1	SHELL HYDRO 300PSI	CLASS: 200	DATE: 02/12/13
								SEAT AIR N/A	SIZE: 1/2" - 2"	SCALE: N.T.S.
								BACK SEAT HYDRO 220PSI	DRAWN BY: F.J.	FIG. No.: S201T6 316
									CHK'D & APR'D BY: R.P.	REV: 1 DWG No.: 11SC120037

NO.	DATE	DESCRIPTION	PRP'D	REV'D	APP'D
Δ	2/12/13	RELEASED	F.J.	R.P.	R.P.